



# Silky



ZUBAT 240/270/300/330



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
270-24	240/9.5	7.5 /6.4	400	1.3	270249
270-27	270/10.6	7.5 /6.4	405	1.3	270270
270-30	300/11.8	7.5 /6.4	480	1.4	270300
270-33	330/13.0	7.5 /6.4	490	1.4	270331

BLADE Code No.	Barcode No. 4903585
271-24	271246
271-27	271277
271-30	271307
271-33	271338

ZUBAT 390



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
270-39	390/15.4	7.5 /6.4	726	1.4	270393

BLADE Code No.	Barcode No. 4903585
271-39	271390

ZUBAT 330



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
278-33	330/13.0	10 /8.5	490	1.4	278337

BLADE Code No.	Barcode No. 4903585
279-33	279334

SUGOI 360/420



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
390-36	360/14.2	6.5/5.5	650	1.75	390367
390-42	420/16.5	6.5/5.5	725	1.75	390428

BLADE Code No.	Barcode No. 4903585
391-36	391364
391-42	391425

# SUGOWAZA

420



Curved Blade



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
419-42	420/16.5	6.5/5.5	710	1.7	419426

BLADE Code No.	Barcode No. 4903585
420-42	420422

# KAMISORIME

375



Curved Blade



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
264-37	375/14.8	6.5/5.5	665	1.45	264378

BLADE Code No.	Barcode No. 4903585
265-37	265375

HAND SAWS

# TSURUGI CURVE

210/270/330



NEW

TSURUGI CURVE



Curved Blade

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
454-21	210/8.3	7.5/6.4	395	1.4	454212
454-27	270/10.6	7.5/6.4	430	1.5	454274
454-33	330/13.0	7.5/6.4	465	1.6	454335

BLADE Code No.	Barcode No. 4903585
455-21	455219
455-27	455271
455-33	455332

# TSURUGI CURVE

210/270/330



NEW

TSURUGI CURVE



Curved Blade

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
456-21	210/8.3	10/8.5	395	1.4	456216
456-27	270/10.6	10/8.5	430	1.5	456278
456-33	330/13.0	10/8.5	465	1.6	456339

BLADE Code No.	Barcode No. 4903585
457-21	457213
457-27	457275
457-33	457336

IBUKI

390



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
275-39	390/15.4	6.5/5.5	847	2.25	275398	276-39	276395

GOMTARO 180/210/240/270/300/330



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
102-18	180/7.0	8/6.8	350	1.3	102182	103-18	103189
102-21	210/8.3	8/6.8	355	1.3	102212	103-21	103219
102-24	240/9.5	8/6.8	370	1.3	102243	103-24	103240
102-27	270/10.6	8/6.8	385	1.3	102274	103-27	103271
102-30	300/11.8	8/6.8	395	1.3	102304	103-30	103301
102-33	330/13.0	8/6.8	410	1.3	102335	103-33	103332

GOMTARO

240/270/300



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
104-24	240/9.5	13/11.0	360	1.1	104247	105-24	105244
104-27	270/10.6	13/11.0	370	1.1	104278	105-27	105275
104-30	300/11.8	13/11.0	380	1.1	104308	105-30	105305

GOMTARO Pro-Sentei

240/300



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
108-24	240/9.5	8+14/6.8+11.9	355	1.1	108245	109-24	109242
108-30	300/11.8	8+14/6.8+11.9	400	1.3	108306	109-30	109303

GOMTARO Root-Cutting 240



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
153-24	240/9.5	8/6.8	370	1.3	153245	154-24	154242

GOMTARO 2dangiri 240/270/300



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
409-24	240/9.5	8+10/6.8+8.5	365	1.3	409243	410-24	410249
409-27	270/10.6	8+10/6.8+8.5	385	1.4	409274	410-27	410270
409-30	300/11.8	8+10/6.8+8.5	395	1.4	409304	410-30	410300

HAND SAWS

TSURUGI 200/300/400



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
450-20	200/7.9	8/6.8	400	1.5	450207	451-20	451204
450-30	300/11.8	8/6.8	455	1.6	450306	451-30	451303
450-40	400/15.8	8/6.8	510	1.7	450405	451-40	451402

TSURUGI 200/300/400



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
452-20	200/7.9	10/8.5	405	1.5	452201	453-20	453208
452-30	300/11.8	10/8.5	460	1.6	452300	453-30	453307
452-40	400/15.8	10/8.5	515	1.7	452409	453-40	453406



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
411-21	210/8.3	10/8.5	355	1.2	411215	122-21	122210
411-24	240/9.5	10/8.5	365	1.3	411246	122-24	122241
411-27	270/10.6	10/8.5	400	1.3	411277	122-27	122272
411-30	300/11.8	10/8.5	415	1.3	411307	122-30	122302



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
412-21	210/8.3	14/11.9	350	1.1	412212	291-21	291213
412-24	240/9.5	14/11.9	355	1.2	412243	291-24	291244
412-27	270/10.6	14/11.9	400	1.2	412274	291-27	291275
412-30	300/11.8	14/11.9	410	1.2	412304	291-30	291305



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
413-21	210/8.3	7/5.9	360	1.3	413219	295-21	295211
413-24	240/9.5	7/5.9	365	1.3	413240	295-24	295242
413-27	270/10.6	6/5.1	400	1.3	413271	295-27	295273
413-30	300/11.8	6/5.1	415	1.3	413301	295-30	295303



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
414-30	300/11.8	6.5/5.5	425	1.3	414308	297-30	297307

NATANOKO 60  
NATANOKO 2000

300/330

330



NATANOKO  
NATANOKO

NATANOKO 60



NATANOKO 2000



Curved Blade

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
129-30	300/11.8	7-8/5.9-6.8	465	1.4	129301
129-33	330/13.0	7-8/5.9-6.8	485	1.4	129332
401-33	330/13.0	6.5/5.5	475	1.4	401339

BLADE Code No.	Barcode No. 4903585
130-30	130307
130-33	130338
402-33	402336

YAMABICO

330



YAMABICO



BACK TEETH



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
407-33	330/13.0	7+10/5.9+8.5	410	1.4	407331

BLADE Code No.	Barcode No. 4903585
408-33	408338

ZORIN

340/370



ZORIN



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
131-34	340/13.4	5-6.5/4.2-5.5	610	1.7	131342
131-37	370/14.6	5-6.5/4.2-5.5	640	1.7	131373

BLADE Code No.	Barcode No. 4903585
132-34	132349
132-37	132370

GENKI TEMAGARI 300/330/360/390/500



GENKI-TEMAGARI

GENKI TEMAGARI 300/330/360/390




GENKI TEMAGARI 500



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
550-30	300/11.8	5-6.5/4.2-5.5	260	1.5	550303
550-33	330/13.0	5-6.5/4.2-5.5	280	1.5	550334
550-36	360/14.2	5-6.5/4.2-5.5	340	1.7	550365
550-39	390/15.4	5-6.5/4.2-5.5	350	1.9	550396
550-50	500/19.7	3-5/2.5-4.2	785	1.7	550501



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
340-13	130/5.0	10/8.5	170	1.1	340133	341-13	341130
340-17	170/6.7	10/8.5	210	1.1	340171	341-17	341178



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
342-13	130/5.0	20/16.9	165	0.9	342137	343-13	343134
342-17	170/6.7	20/16.9	205	0.9	342175	343-17	343172



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
344-13	130/5.0	26/22.0	165	0.85	344131	345-13	345138
344-17	170/6.7	26/22.0	200	0.85	344179	345-17	345176



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
346-13	130/5.0	8/6.8	170	1.1	346135	347-13	347132
346-17	170/6.7	8/6.8	210	1.1	346173	347-17	347170



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
110-16	160/6.3	7.5/6.4	214	1.3	110163	112-16	112167



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
143-18	180/7.0	7.5/6.4	150	1.3	143185	144-18	144182
141-18	180/7.0	14/11.9	150	1.1	141181	142-18	142188



## SUPER ACCEL 21

210



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
119-21	210/8.3	7.5/6.4	195	1.3	119210
117-21	210/8.3	14/11.9	195	1.1	117216

BLADE Code No.	Barcode No. 4903585
120-21	120216
118-21	118213

## ULTRA ACCEL TAIKO

240



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
442-24	240/9.5	10/8.5	295	1.3	442240

BLADE Code No.	Barcode No. 4903585
443-24	443247

## ULTRA ACCEL STRAIGHT

240



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
444-24	240/9.5	7.5/6.4	290	1.3	444244

BLADE Code No.	Barcode No. 4903585
445-24	445241

## ULTRA ACCEL CURVE

240



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
446-24	240/9.5	7.5/6.4	295	1.3	446248

BLADE Code No.	Barcode No. 4903585
447-24	447245

## OYAKATA

270



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
113-27	270/10.6	10/8.5	302	1.3	113270
250-27	270/10.6	20/16.9	302	0.9	250272

BLADE Code No.	Barcode No. 4903585
114-27	114277
251-27	251279

## GOMBOY

210/240/270/300



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
121-21	210/8.3	10/8.5	235	1.2	121213
121-24	240/9.5	10/8.5	270	1.3	121244
121-27	270/10.6	10/8.5	280	1.3	121275
121-30	300/11.8	10/8.5	310	1.3	121305

BLADE Code No.	Barcode No. 4903585
122-21	122210
122-24	122241
122-27	122272
122-30	122302

# GOMBOY

210/240/270/300



**GOMBOY**  
FINE

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
290-21	210/8.3	14/11.9	230	1.1	290216	291-21	291213
290-24	240/9.5	14/11.9	265	1.2	290247	291-24	291244
290-27	270/10.6	14/11.9	280	1.2	290278	291-27	291275
290-30	300/11.8	14/11.9	305	1.2	290308	291-30	291305

# GOMBOY

210/240/270/300



**LARGE**

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
294-21	210/8.3	7/5.9	240	1.3	294214	295-21	295211
294-24	240/9.5	7/5.9	270	1.3	294245	295-24	295242
294-27	270/10.6	6/5.1	280	1.3	294276	295-27	295273
294-30	300/11.8	6/5.1	310	1.3	294306	295-30	295303

# BIGBOY

360



**BIGBOY**

**MEDIUM**

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
350-36	360/14.2	10/8.5	410	1.3	350361	351-36	351368

# BIGBOY

360



**BIGBOY**

**FINE**

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
352-36	360/14.2	13/11.0	395	1.1	352365	353-36	353362

# BIGBOY

360



**BIGBOY**

**LARGE**

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
354-36	360/14.2	7/5.9	405	1.3	354369	355-36	355366

# BIGBOY 2000

360



**BIGBOY 2000**

**EXTRA LARGE**

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
356-36	360/14.2	6.5/5.5	406	1.4	356363	357-36	357360

# KATANABOY

500



EXTRA LARGE

# KATANABOY

650



NEW

EXTRA LARGE

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
403-50	500/19.7	5/4.2	900	1.9	403500

BLADE Code No.	Barcode No. 4903585
404-50	404507

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
403-65	650/25.6	4/3.4	1,270	2.4	403654

BLADE Code No.	Barcode No. 4903585
404-65	404651

FOLDING SAWS

# WOODBØY dozuki/32teeth/26teeth 240



WOODBØY dozuki No.384-24

EXTRA FINE

WOODBØY 32teeth No.388-24

EXTRA FINE

WOODBØY 26teeth No.386-24

EXTRA FINE

WOODBØY

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
384-24	240/9.5	32/27.1	285	0.66	384243
388-24	240/9.5	32/27.1	220	0.66	388241
386-24	240/9.5	26/22.0	218	0.76	386247

BLADE Code No.	Barcode No. 4903585
385-24	385240
389-24	389248
387-24	387244

# TAKERUBOY

240/270



product design award 2012 GOLD

TAKERU·BOY

FINE

EXTRA FINE

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
415-24	240/9.5	18/15.2	275	0.85	415244
415-27	270/10.6	18/15.2	300	0.95	415275
417-24	240/9.5	24/20.3	275	0.85	417248
417-27	270/10.6	24/20.3	300	0.95	417279

BLADE Code No.	Barcode No. 4903585
416-24	416241
416-27	416272
418-24	418245
418-27	418276

WOODWORKING SAWS

# TABLE NOCO

180



Table-noco

EXTRA FINE

Curved Blade

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
562-18	180/7.0	18/15.2	110	0.95	562184
564-18	180/7.0	22/18.6	110	0.95	564188
566-18	180/7.0	26/22.0	110	0.95	566182

BLADE Code No.	Barcode No. 4903585
563-18	563181
565-18	565185
567-18	567189

# minimini 2

150



minimini 2 for wood No.162-15

EXTRA FINE

minimini 2 for plastic No.164-15

minimini 2 for metal No.166-15

EXTRA FINE

mini mini-2

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
162-15	150/5.9	24/20.3	135	0.78	162155
164-15	150/5.9	24/20.3	135	0.82	164159
166-15	150/5.9	42/35.6	135	0.82	166153

BLADE Code No.	Barcode No. 4903585
163-15	163152
165-15	165156
167-15	167150

# TSUBASA

285



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
334-28	285/11.2	14/11.9	345	0.9	334286	335-28	335283
332-28	285/11.2	18/15.2	340	0.9	332282	333-28	333289
330-28	285/11.2	22/18.6	350	0.9	330288	331-28	331285

# HIBIKI

210



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
396-21	210/8.3	22+10/18.6+8.5	346	0.95	396215	397-21	397212

# RYOGA

210/240/270



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
440-21	210/8.3	22+10/18.6+8.5	240	0.95	440215	441-21	441212
440-24	240/9.5	18+10/15.2+8.5	250	0.95	440246	441-24	441243
440-27	270/10.6	14+10/11.9+8.5	255	0.95	440277	441-27	441274

## ICON DESCRIPTIONS ( for USE )

### EXTRA LARGE



#### FORESTRY

SE Stamkivistning  
D Forst Pflege  
GB Forestry maintenance  
F La silviculture  
NL Basbouw onderhoud  
I Sylvicultura  
E Silvicultura



#### ARBORIST

SE Arborist  
D Baumpflege  
GB Arborist  
F Arboriculture  
NL Boomverzorging  
I Arboricoltura  
E Arboles Ornamentales

### MEDIUM



#### CONSTRUCTION

SE Byggnation  
D Bau  
GB Construction  
F Bâtiment  
NL Bouw  
I Costruzione  
E Construcción



#### PRUNING

SE Trädgård  
D Garten  
GB Gardening  
F Jardiner  
NL Tuinieren  
I Giardianaggio  
E Jardinear

### LARGE



#### PRUNING

SE Trädgård  
D Garten  
GB Gardening  
F Jardiner  
NL Tuinieren  
I Giardianaggio  
E Jardinear



#### CONSTRUCTION

SE Byggnation  
D Bau  
GB Construction  
F Bâtiment  
NL Bouw  
I Costruzione  
E Construcción

### FINE



#### WOOD WORKING

SE Snickerier/-arbeten  
D Holzbearbeitung  
GB Wood-working  
F travail du bois  
NL Houtbewerking



#### BAMBOO CUTTING

SE Bambusågning  
D Sägen von Bambus  
GB Bamboo cutting  
F Scier du bambou  
NL Zagen van bamboe  
I Segare bambù  
E Serrar de bambú



#### ROOT CUTTING

SE Rotbeskäring  
D Wurzel schneiden  
GB Root cutting  
F Taille de racines  
NL Wortel snoeien  
I Taglio radici  
E Poda De raíces

### EXTRA FINE



#### DIY & HOBBY

SE Hobby  
D DIY & Hobby  
GB DIY & Hobby  
F Bricolage & Hobby  
NL DHZ & Hobby  
I Bricolage e hobby  
E Bricolaje & Hobby



#### WOOD WORKING

SE Snickerier/-arbeten  
D Holzbearbeitung  
GB Wood-working  
F travail du bois  
NL Houtbewerking

**NATA double edge** 150/180/210/240



SAW Code No.	Blade length mm/in	Weight (g)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
555-15	150/5.9	710	555155	556-15	556152
555-18	180/7.0	750	555186	556-18	556183
555-21	210/8.3	865	555216	556-21	556213
555-24	240/9.5	875	555247	556-24	556244

**NATA single edge** 150/180/210/240



SAW Code No.	Blade length mm/in	Weight (g)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
557-15	150/5.9	730	557159	558-15	558156
557-18	180/7.0	750	557180	558-18	558187
557-21	210/8.3	835	557210	558-21	558217
557-24	240/9.5	875	557241	558-24	558248

**ONO** 120



SAW Code No.	Blade length mm/in	Weight (g)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
568-10	120/4.7	870	568100	569-10	569107

**YOKI** 270



SAW Code No.	Blade length mm/in	Weight (g)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
570-27	270/10.6	680	570271	571-27	571278

**ICON DESCRIPTIONS ( for FUNCTION )**



**Mirai - Me**

- SE Fint snitt
- D Feine Holzschitt
- GB Smooth cutting
- F Coupe le bois finement
- NL Fijne houtsnede
- I Taglie il legno finemente
- E Acero al cromo endurecido



**Non - set Teeth**

- SE Koniskt
- D Konisch
- GB Conical
- F Conique
- NL Konisch
- I Conico
- E Conico



**4-RETSUME**

**Four rows of teeth**

- SE Fyra tandrader
- D Vier Reihe Zähne
- GB Four rows of teeth
- F Quatre rangées de dents juxtaposées
- NL Vier rijen tanden
- I Quattro file di denti jüstapposte
- E Cuatro filas de dientes



**Impulse - hardening**

- SE Impulshärdat
- D Impulsiv gehärtet
- GB Impulse hardening
- F Durci impulsivement
- NL Impulsief gehard
- I Indurimento intensivo
- E Endurecido impulsivamente



**Sharpenable**

- SE Kan slipas
- D Es ist zu feilen
- GB Sharpenable
- F Affûtable
- NL Vijlen mogelijk
- I Affilabile
- E Afilable



**FPA - ANERKANNT**

FPA - approved in Germany

**TODOKU** No.433-17 Extension range 2,350~5,750 mm 7.7~18.9 ft.

**LONGBOY 2-Ext** No.365-36 Extension range 1,450~3,600 mm 4.8~11.8 ft.

**ZUBAT 1-Ext 1200** No.272-12 Extension range 1,750~2,650 mm 5.7~8.7 ft.

**ZUBAT 1-Ext 1500** No.272-15 Extension range 2,000~3,300 mm 6.6~10.8 ft.

**ZUBAT 1-Ext 1800** No.272-18 Extension range 2,350~3,850 mm 7.7~12.6 ft.

**FORESTER 2-Ext 3000** No.273-30 Extension range 1,700~3,000 mm 5.6~9.8 ft.

**FORESTER 2-Ext 4500** No.273-45 Extension range 2,200~4,500 mm 7.2~14.8 ft.

**HAYAUCHI IPPON** No.426-39 Fixed length pole saw 2,440 mm 8 ft.

**HAYAUCHI 1-Ext** No.177-39 Extension range 2,280~3,700 mm 7.5~12.1 ft.

**HAYAUCHI 2-Ext** No.178-39 Extension range 2,350~4,900 mm 7.7~16.1 ft.

**HAYAUCHI 3-Ext** No.179-39 Extension range 2,440~6,300 mm 8~20.7 ft.

**HAYAUCHI 4-Ext 4000** No.186-48 Extension range 1,840~4,030 mm 6~13.2 ft.

**HAYAUCHI 4-Ext 5000** No.187-48 Extension range 2,040~5,000 mm 6.7~16.4 ft.

**HAYAUCHI 4-Ext 6400** No.188-48 Extension range 2,320~6,400 mm 7.6~21 ft.

**HAYATE IPPON** No.427-39 Fixed length pole saw 2,480 mm 8.1 ft.

**HAYATE 1-Ext** No.370-42 Extension range 2,400~3,800 mm 7.9~12.5 ft.

**HAYATE 2-Ext** No.371-42 Extension range 2,400~5,000 mm 7.9~16.4 ft.

**HAYATE 3-Ext** No.372-42 Extension range 2,400~6,100mm 7.9~20 ft.





## LONGBOY

360

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
365-36	360/14.2	7.5 /6.4	2,070	1.4	365365

BLADE Code No.	Barcode No. 4903585
366-36	366362

## ZUBAT 1200/1500/1800

330

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
272-12	330/13.0	7.5 /6.4	1,360	1.4	272120
272-15	330/13.0	7.5 /6.4	1,530	1.4	272151
272-18	330/13.0	7.5 /6.4	1,710	1.4	272182

BLADE Code No.	Barcode No. 4903585
271-33	271338

## TODOKU

390



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
433-17	390/15.4	6.5/5.5	5,260	2.3	433170

BLADE Code No.	Barcode No. 4903585
177-02-03 Blade only	177029
431-39 Blade with cover & pipe	431398

## FORESTER 3000/4500

380

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
273-30	380/15.0	7.5/6.4	1,780	1.7	273301
273-45	380/15.0	7.5/6.4	2,260	1.7	273455

BLADE Code No.	Barcode No. 4903585
274-38	274384

## HAYAUCHI IPPON / 1-Ext / 2-Ext / 3-Ext / 4-Ext

390/480



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
426-39	390/15.4	6.5/5.5	1,655	2.3	426394
177-39	390/15.4	6.5/5.5	2,100	2.3	177395
178-39	390/15.4	6.5/5.5	2,650	2.3	178392
179-39	390/15.4	6.5/5.5	3,280	2.3	179399

BLADE Code No.	Barcode No. 4903585
177-02-03 Blade only	177029
177-02-41 Blade with cover & pipe	177043

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
186-48	480/18.9	6.5/5.5	2,950	2.3	186489
187-48	480/18.9	6.5/5.5	3,300	2.3	187486
188-48	480/18.9	6.5/5.5	3,830	2.3	188483

BLADE Code No.	Barcode No. 4903585
186-02 Blade only	186021
189-60 Sickle	189602
186-04 Blade with cover & pipe	186045

## HAYATE IPPON / 1-Ext / 2-Ext / 3-Ext

420



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
427-39	420/16.5	6.5/5.5	1,885	1.7	427391
370-42	420/16.5	6.5/5.5	2,470	1.7	370420
371-42	420/16.5	6.5/5.5	3,170	1.7	371427
372-42	420/16.5	6.5/5.5	3,930	1.7	372424

BLADE Code No.	Barcode No. 4903585
373-42 Blade only	373421
374-42 Blade with cover , pipe & sickle	374428
376-42 Blade with cover & pipe w/o sickle	376422
375-70 Sickle	375708

TODOKU No.433-T7 Extension range 2350-3750 mm 7.7-11.9 ft

Silky CATALOG



LONGBOY

Model	Length	Weight	Extension range
LD-100	1000 mm	1.2 kg	2350-3750 mm
LD-150	1500 mm	1.8 kg	2350-3750 mm
LD-200	2000 mm	2.5 kg	2350-3750 mm

LD-100

Model	Length	Weight	Extension range
LD-100	1000 mm	1.2 kg	2350-3750 mm
LD-150	1500 mm	1.8 kg	2350-3750 mm
LD-200	2000 mm	2.5 kg	2350-3750 mm

LD-200

HAYAUCHI IPPON No.426-39 Fixed length pole 3000 mm 9.8 ft

HAYAUCHI 1-Ext No.177-T7 Extension range 2250-3750 mm 7.4-11.9 ft

HAYAUCHI 2-Ext No.178-T7 Extension range 2250-3750 mm 7.4-11.9 ft

LOI E 0111113



technische  
handelmaatschappij  
j. de wild b.v.



De Meeten 54, 4706 NH  
Roosendaal, Nederland  
T: +31 (0) 165 532992  
F: +31 (0) 165 554945  
E: info@silky-europe.com  
W: www.silky-europe.com



2013-2014

.tron  
Wildtaubenweg 5  
86156 Augsburg

SE-Di-E  
SEDIE DESIGN